

PUBLIC NOTICE

Notice to Water Users
(Pursuant to Section 85-2-307, MCA)

The following application has been submitted to appropriate water in the State of Montana.

THE DEPARTMENT OF NATURAL RESOURCES AND CONSERVATION PROPOSES TO GRANT AN APPLICATION FOR BENEFICIAL WATER USE PERMIT. DESCRIBED BELOW ARE THE PERTINENT FACTS WHICH SUMMARIZE THE APPLICATION. THE PRELIMINARY DETERMINATION (PD) DOCUMENTING THE FINDINGS OF FACT AND CONCLUSIONS OF LAW AND ANY CONDITIONS ATTACHED TO THE WATER RIGHT ARE AVAILABLE ON THE INTERNET AT <http://www.dnrc.mt.gov/wrd/>.

OBJECTION DEADLINE: NOVEMBER 19, 2021. THE DEPARTMENT CAN ONLY ACCEPT OBJECTIONS FILED ON AN OBJECTION TO APPLICATION, FORM 611. MAIL THE COMPLETED FORM AND THE \$25.00 FILING FEE TO THE DNRC, PO BOX 201601, HELENA, MT 59620-1601 BY THE DEADLINE SPECIFIED. THE FORM IS AVAILABLE ON THE DEPARTMENT'S WEBSITE.

DIRECT ANY QUESTIONS PERTAINING TO THE APPLICATION, TO OBTAIN THE PD OR OBJECTION FORM TO THE WATER RESOURCES OFFICE AT 613 NE MAIN, SUITE E, LEWISTOWN, MT 59457-2020, PHONE: 406-538-7459, .

IF ISSUED, THE RIGHT WILL BE SUBJECT TO PRIOR EXISTING WATER RIGHTS.

Application Number:	41K 30149892						
Owners:	GLEND A HORNER 3115 RAINBOW DAM RD GREAT FALLS, MT 59404 JOE HORNER 3115 RAINBOW DAM RD GREAT FALLS, MT 59404						
Priority Date:	FEBRUARY 4, 2021 at 01:40 P.M.						
Purpose (Use):	INDUSTRIAL						
Maximum Flow Rate:	400.00 GPM						
Maximum Volume:	65.40 AC-FT						
Source Name:	GROUNDWATER						
Source Type:	GROUNDWATER						
Point of Diversion and Means of Diversion:							
ID		Govt Lot	Qtr	Sec	Twp	Rge	County
1			SWSWNE	36	21N	1W	CASCADE
Period of Diversion:	MARCH 15 TO DECEMBER 1						Flow Rate: 400.00 GPM
Diversion Means:	PUMP						
Pump Size:	40.00 HP						
Purpose (Use):	INDUSTRIAL			Purpose Clarification: GRAVEL WASHING			
Volume:	65.40 AC-FT						
Period of Use:	MARCH 15 to DECEMBER 1						
Place of Use:							
ID	Acres	Govt Lot	Qtr	Sec	Twp	Rge	County
1			NWNWSE	36	21N	1W	CASCADE

Remarks:

IMPORTANT INFORMATION

THIS APPLICATION IS FOR A TEMPORARY PERMIT TO EXPIRE IN 20 YEARS

IMPORTANT INFORMATION

DIVERSION UNDER THE PERMIT MAY NOT COMMENCE UNTIL THE MITIGATION OR AQUIFER RECHARGE PLAN DESCRIBED IN THIS DECISION IS LEGALLY IMPLEMENTED. DIVERSION UNDER THE PERMIT MUST STOP IF THE MITIGATION OR AQUIFER RECHARGE PLAN AS HEREIN REQUIRED IN AMOUNT, LOCATION AND DURATION CEASES IN WHOLE OR IN PART.

IMPORTANT INFORMATION

THE APPROPRIATOR SHALL INSTALL A DEPARTMENT-APPROVED MEASURING DEVICE IN THE SUPPLY LINE FROM THE DIVERSION POINT TO THE GRAVEL WASH PLANT. THE LOCATION OF THE MEASURING DEVICE MUST BE APPROVED BY THE DEPARTMENT. WATER MUST NOT BE DIVERTED UNTIL THE REQUIRED MEASURING DEVICE IS IN PLACE AND OPERATING. THE APPROPRIATOR SHALL KEEP A WRITTEN MONTHLY RECORD OF THE VOLUME OF ALL WATER DIVERTED UNDER THE WATER RIGHT. THE VOLUME DIVERTED BY THE PUMPING SYSTEM SHALL NOT EXCEED 65.4 ACRE-FEET ANNUALLY.

RECORDS OF APPROPRIATIONS SHALL BE SUBMITTED BY DECEMBER 31 OF EACH YEAR AND UPON REQUEST AT OTHER TIMES DURING THE YEAR. FAILURE TO SUBMIT RECORDS MAY BE CAUSE FOR REVOCATION OF THE AUTHORIZATION. THE APPROPRIATOR SHALL MAINTAIN THE MEASURING DEVICE SO IT ALWAYS OPERATES PROPERLY AND MEASURES THE FLOW RATE AND VOLUME OF WATER ACCURATELY.

SUBMIT RECORDS TO:
LEWISTOWN WATER RESOURCES REGIONAL OFFICE
613 NE MAIN ST, SUITE E
LEWISTOWN, MT 59457
PHONE: (406)538-7459

PUBLISHED IN: GREAT FALLS TRIBUNE ON OCTOBER 6, 2021.